



大王牌缝纫机
TAKING BRAND SEWING MACHINE

产品篇
Products

高速平缝机系列
LOCKSTITCH SEWING MACHINE SERIES

Http: www.yuanchen.com



高速平缝机系列

LOCKSTITCH SEWING MACHINE SERIES

Lockstitch Sewing Machine Series >>>

TK-9800-D3T

直驱高速电脑平缝机

DRY-HEAD TYPE HIGH-SPEED LOCKSTITCH SEWING MACHINE

用途与特点

本机采用直接驱动系统（DD系统），缩短了传动路线，起动平顺、反应敏捷，提供了快速启动和准确停机的功能，刺布效果优良。具有自动停机、拨线、剪线、倒顺缝等功能，内藏式绕线机构，用户可根据不同的工艺要求进行可选择性的设定，大大提高了工作效率。送布牙的高度、倾斜度及相位均可容易调整。本机适用于中等厚料的棉、毛、麻、化纤等织物。



THIS MACHINE IS DESIGNED ON DIRECT DRIVER SYSTEM, SHORTEN ITS TRANSMISSION ROUTE. IT HAS JUMP-START SMOOTHLY, REACTIVITY SPEEDY, TO SUPPLY US FUNCTION OF START QUICKLY AND STOP CORRECTLY, PIERCE FABRICE HAS EXCELLENT EFFECT. IT HAS AUTO NEEDLE POSITIONING, AUTO THREAD PING, AUTO THREAD TRIMMING AND AUTO REVERSE FEED SEWING ETC. AND HAVE FRAMEWORK OF COIL THREAD INSIDE. USER CAN SET UP OPTIONALLY ACCORDING WITH THE DIFFERENT CRAWFORK CAN INCREASE WORKING EFFICIENCY. THE HEIGHT, THE GRADIENT AND THE POSITION OF THE FEE DOG CAN BE ADJUSTED EASILY. SUITABLE FOR SEWING MIDDLE COTTON, WOOL, HEMP, CHEMICAL FIBER FABRICE ECT.

技术参数

	(H) (M)									备注
TK-9800/9801-D3	(M/L)	0-4	5.5/13	DBX1 14#	31	5500	220/250	665x245x480	26/36	9801系列 为圆刀
TK-9800/9801-D3T	(M)	0-4	5.5/13	DBX1 14#	31	5500	220/250	665x290x480	26/36	
TK-9800/9801-5-D3	(H)	0-8	5.5/13	DPX5 21#	33	4000	220/250	665x245x480	26/36	9800系列 为平刀
TK-9800/9801-5-D3T	(H)	0-8	5.5/13	DPX5 21#	33	4000	220/250	665x290x480	26/36	

TK-8700-D3

自动剪线高速平缝机系列

HIGH-SPEED LOCKSTITCH SEWING MACHINE WITH AUTO-TRIMMER SERIES

用途与特点

本机各种功能采用电脑控制，具有自动剪线、自动倒缝、自动停针、自动抬压脚等功能。是缝纫机与电脑相结合的高科技产品。适用于服装、针织、皮革等行业的薄、中厚料缝纫。

THIS MACHINE IS CONTROLLED BY A MINICOMPUTER AND HAS THE FEATURES OF AUTO THREAD TRIMMING, AUTO REVERSE FEED SEWING, AUTO NEEDLE POSITIONING, AUTO PRESSER LIFTING ETC. IT IS A HIGH-TECH PRODUCT COMBINING COMPUTER WITH SEWING MACHINE. SUITABLE FOR SEWING LIGHT AND MEDIUM MATERIALS IN CLOTHING, KNITTING AND LEATHER INDUSTRIES.



技术参数

	(M) (H)								
TK-8700-D3	(M)	0-4	5.5/13	DBX1 11#	31.8	200-5500	550	604x230x480	31/36
TK-8700-5-D3	(H)	0-8	5.5/13	DPX5 21#	33	200-4000	550	604x230x480	31/36
TK-8700-D3T	(M)	0-4	5.5/13	DBX1 11#	31.8	200-5500	550	598x262x470	37/40
TK-8700-5-D3T	(H)	0-8	5.5/13	DPX5 21#	33	200-4000	550	598x262x470	37/40

TK-2009 高速平缝机系列

HIGH-SPEED LOCKSTITCH SEWING MACHINE SERIES











用途与特点

新型外观，靓丽美观的色彩设计，宽大稳重的机体，实用简洁，高速高效，运转平稳，超低噪声，超低振动。适用于服装、针织、皮鞋等不同物料缝纫。

NEW APPEARANCE, BEAUTIFUL COLOUR DESIGN, BIG AND BODY, CONCISE AND PRACTICAL, HIGH EFFICIENCY, LOW NOISE, SMOOTH OPERATION, LOW VIBRATION. SUITABLE FOR CLOTHING, KNITTING, LEATHER SHOES SUCH KIND OF MATERIAL SEWING.



技术参数

									
TK-2009	(M)	0-5	5.5/13	DBX1 14#	31	5500	220/250	600x230x485	26/36
TK-2009H	(H)	0-8	5.5/13	DPX5 21#	33	4000	220/250	600x230x485	26/36

TK-8500/8800 高速平缝机系列

HIGH-SPEED LOCKSTITCH SEWING MACHINE SERIES

用途与特点











新型外观、线条流畅、实用简洁、超低噪音、超低振动，操作简便、高速高效，适用于服装、针织、皮革等不同物料缝纫。

NEW APPEARANCE WITH GRACEFUL LINE, USEFUL AND EASY OPERATION, HIGH SPEED, HIGH EFFICIENCY, LOW NOISE WITH LITTLE VIBRATION. BEING SUITABLE FOR SEWING THIN, MEDIUM AND THICK MATERIALS SUCH AS CLOTHING, KNITTING, LEATHER ETC.



TK-8800

技术参数

									
TK-8500	(M)	0-5	5.5/13	DBX1 14-16#	31.8	5500	370/250	604x230x480	26/31
TK-8500E	(M)	0-5	5.5/13	DBX1 14#	31.8	5500	370/250	604x230x480	26/31
TK-8500H	(H)	0-8	5.5/13	DPX5 21#	33	3500	370/250	604x230x480	26/31
TK-8800	(M)	0-5	5.5/13	DBX1 11-16#	31.8	5500	370/250	604x230x480	26/31

TK-802 (大梭)
厚料高速平缝机系列
HIGH-SPEED LOCKSTITCH SEWING MACHINE SERIES

用途与特点

低噪音、低震动、高效率；低张力缝纫机构；无褶皱、线迹均匀美观。适用于皮革、服装、针织等行业的中厚料缝纫。

LOW NOISE, LITTLE VIBRATION AND HIGH EFFICIENCY, SEWING MECHANISM WITH LOW TENSION AND PERFECT STITCHES. FEW WRINKLES AND STABLE STITCHES. BEING SUITABLE FOR SEWING THIN AND MEDIUM MATERIALS CLOTHING KNITTING.



技术参数

TK-802	H	0-7	5.5/13	DPX5 21#	33	3500	370/250	580x255x520	26/31

TK-8530N
带刀平缝机系列
LOCKSTITCH SEWING MACHINE WITH KNIFE SERIES

用途与特点

切边平整、均匀、高速、高效、采用硬质合金切刀，保证机器稳定性与耐用性。本机是高档西服、衬衫、大衣等的领子、门襟的上下两层修边专用设备，是代替传统手工艺的理想设备。

NEAT AND EVEN EDGE CUTTING WITH HIGH SPEED AND HIGH EFFICIENCY. EQUIPMENT WITH HARD ALLOY CUTTER TO GUARANTEE THE STABILITY AND WEARABILITY. IT IS THE IDEAL EQUIPMENT IN PLACE OF THE TRADITIONAL HANDICRAFT, WHICH IS USED FOR EDGE CUTTING BETWEEN THE COVER AND THE INSIDE OF THE COLLAR AND PLEAT OF SUPERIOR QUALITY SUIT, SHIRT, OVERCOAT ETC.



技术参数

TK-8530N	0-5	5.5/13	31	4500	370/250	655x250x480	36/41

TK-3800 单/双针链式平缝机系列

SINGLE/DOUBLE NEEDLE CHAINSTITCH SEWING MACHINE SERIES


用途与特点

本机采用连杆式送料机构，针杆挑线，弯针勾线，形成双线链式线迹。线迹牢固且富有弹性，适用与服装内衣，床上用品及薄形包袋和皮革制品的搭接缝、装饰缝，针间距离有五种规格可供选择。

THIS MACHINAADOPTS LINK-TYPED FEEDING MECHANISM, NEEDLE BAR THREAD TAKING UP,AND LOOPER THREAD CATCHING TO PRODUCE TWO LINES OF CHAINSTITCH, WHICH IS FIRM AND ELASTIC, SUITABLE FOR LAPPING SEAM AND DECORATIVE SEAM ON GARMENT, UNDERWEAR, BEDDING ARTICLES AND LEATHER GOODS. THERE ARE FIVE DIFFERENT GAUGES AVAILABLE FOR SELECTION.



TK-3800



技术参数

	(M) (L)										
TK-3800	(M)	1.4-4	5.5/10	Tvx7 双针	1/4	30	4500	370/250	4	655x250x480	41/46
TK-3810	(M)	1.4-4	5.5/10	Tvx7 单针	/	30	4500	370/250	2	655x250x480	41/46
TK-3820	(M)	1.4-4	5.5/10	Tvx7 双针	/	30	4500	370/250	4	655x250x480	41/46
TK-3830	(M)	1.4-4	5.5/10	Tvx7 三针	/	30	4500	370/250	4	655x250x480	41/46


TK-8520N 珠边机系列

DECORATIVE STITCH SEWING MACHINE SERIES

用途与特点

本机采用连杆式送料机构，针杆挑线，弯针勾线，形成单线链式线迹。线迹牢固且富有弹性，适用与服装内衣，床上用品及薄形包袋和皮革制品的搭接缝、装饰缝，针间距离有五种规格可供选择。

THIS MACHINAADOPTS LINK-TYPED FEEDING MECHANISM, NEEDLE BAR THREAD TAKING UP,AND LOOPER THREAD CATCHING TO PRODUCE TWO LINES OF CHAINSTITCH, WHICH IS FIRM AND ELASTIC, SUITABLE FOR LAPPING SEAM AND DECORATIVE SEAM ON GARMENT, UNDERWEAR, BEDDING ARTICLES AND LEATHER GOODS. THERE ARE FIVE DIFFERENT GAUGES AVAILABLE FOR SELECTION.



技术参数

TK-8520N	3	5.5/13	31	1400	370/250	604x230x480	26/31

TK-872 (大梭)
TK-842 双针平缝机系列
TK-842-D3电脑双针平缝机

TWIN NEEDLE LOCKSTITCH SEWING MACHINE WITH NEEDLE FEED SERIES



TK-842



TK-842-D3

用途与特点

电脑双针机采用全电脑控制，具有自动剪线、自动倒缝、自动停针、扫线等功能。是机电一体化的高科技产品。适用于服装、针织等行业的薄、中厚料缝纫。

THIS MACHINE IS USING THE LATEST FULL AUTOMATIC COMPUTER CONTROLLING SYSTEMS, AND HAS THE CAPACITY OF AUTOMATIC-TRIMMER, AUTOMATIC REVERSE SEWING, AUTO-POSITIONING AND SCAVENGING, IT IS ACTUALLY MECHANICAL AND ELECTRICAL INTEGRATION HI-TECH SEWING MACHINE, WHICH IS SPECIALLY FOR THE PROFESSIONAL SEWING OF THE MIDDLE-HEAVY OR LIGHT GARMENT KNITTING MATERIALS!

技术参数

图标	针号	针距	送料	压脚	针板	速度	噪音	尺寸	重量	备注
	(L)	5	0-4	7/13	DPX5 11#-16#	3000	400	675x310x655	38/45	小梭
	(M)	6	0-5	7/13	DPX5 14#-22#	3000	400	675x310x655	38/45	小梭
	(H)	8	0-7	7/13	DPX5 14#-22#	2500	400	675x310x655	38/45	大梭
	(M)	5	0-4	7/13	DPX5 11#-16#	3000	550	675x310x655	38/45	小梭

TK-875 (大梭)
TK-845 双针针送料角缝缝纫机系列

TWIN NEEDLE CORNER-STITCH SEWING MACHINE WITH NEEDLE FEED SERIES

用途与特点

针杆可以分离或联接，用于女内衣，牛仔衣裤，男女大衣的转角缝纫和装饰缝纫，由于梭芯内有缝线回拉弹簧装置，使缝纫拐角、锐角线缝时正确方便，机针与送布牙同步送料，可防止缝料滑移，线迹整齐美观。

DOUBLE NEEDLE BAR CAN BE SEPARATED, AND ALSO REALIZE BOTH DOUBLE THREAD STITCH AND SINGLE THREAD STITCH, SUITABLE FOR LADIES UNDERWEAR, OVERCOAT JEANS ETC IN DECORATION AND CORNER SEAM, WITH ELASTICITY SPRING EQUIPMENT IN THE BOBBIN, ITS VERY CONVENIENT TO MAKE CORNER SEAM, ACUTE ANGLE SEAM WELL; FEEDING IN PHASE FROM NEEDLES AND FEED DOG IS HELPFUL IN WONDERFUL AND NICE STITCH, AGAINST ANY GLIDE OF MATERIALS.

技术参数

图标	针号	针距	送料	压脚	针板	速度	噪音	尺寸	重量	备注
	(L)	5	0-4	7/13	DPX5 11#-16#	3000	370/250	675x310x655	50/52	小梭
	(M)	6	0-5	7/13	DPX5 14#-22#	3000	370/250	675x310x655	50/52	小梭
	(H)	6	0-7	7/13	DPX5 14#-22#	2500	370/250	675x310x655	50/52	大梭

